ELSEVIER

Brain Research 834 (1999) 233–234

BRAIN RESEARCH

Author Index

Abe, K., see Kitagawa, H. (834) 190
Agostini, C., see Rodella, L. (834) 173
Amano, S., Ikeda, M., Uemura, S., Fukuoka, J., Tsuji, A., Sasahara, M., Hayase, Y. and Hazama, F.
Mossy fiber sprouting in the dentate gyrus in a newly developed epileptic mutant, Ihara epileptic rat (834) 214
Ashworth-Preece, M.A., Chen, F., Jarrott, B. and Lawrence, A.J.
Visualisation of AMPA binding sites in the brain stem of normotensive and hypertensive rats (834) 186

Babb, S.M., see Christensen, J.D. (834) 1
Barbelivien, A., Noël, C., MacKenzie, E.T. and Dauphin, F.
Cerebrovascular evidence for a GABAergic modulation of the cholinergic vasodilatatory basalocortical system in the rat (834) 223
Bermúdez-Rattoni, F., see Gutiérrez, H. (834) 136
Besson, J.-M., see Le Guen, S. (834) 200
Bianchi, R., see Rodella, L. (834) 173
Billington, C.J., see Giraudo, S.Q. (834) 160
Birder, L.A., Roppolo, J.R., Erickson, V.L. and De Groat, W.C.
Increased c-*fos* expression in spinal lumbosacral projection neurons and preganglionic neurons after irritation of the lower urinary tract in the rat (834) 55
Blum-Degen, D., Heinemann, T., Lan, J., Pedersen, V., Leblhuber, F., Paulus, W., Riederer, P. and Gerlach, M.
Characterization and regional distribution of nitric oxide synthase in the human brain during normal ageing (834) 128
Buller, K.M., Smith, D.W. and Day, T.A.
Differential recruitment of hypothalamic neuroendocrine and ventrolateral medulla catecholamine cells by non-hypotensive and hypotensive hemorrhages (834) 42
Butkevich, I.P. and Kassil, V.G.
Antinociceptive effects of brain rewarding system in the developing rabbit: behavioral and electrophysiological analysis (834) 13

Casabona, G., see Poli, A. (834) 142
Catheline, G., see Le Guen, S. (834) 200
Celio, M.R., see Haunsø, A. (834) 219
Cernuda-Cernuda, R., see Huerta, J.J. (834) 122
Chalmers, J., see Gatti, P.J. (834) 155
Chen, F., see Ashworth-Preece, M.A. (834) 186
Chesnut, M.D., see Maragos, W.F. (834) 168
Christensen, J.D., Yurgelun-Todd, D.A., Babb, S.M., Gruber, S.A., Cohen, B.M. and Renshaw, P.F.
Measurement of human brain dexfenfluramine concentration by 19F magnetic resonance spectroscopy (834) 1
Churn, S.B., see Parsons, J.T. (834) 32
Cohen, B.M., see Christensen, J.D. (834) 1
Cookson, M.R., Ince, P.G., Usher, P.A. and Shaw, P.J.
Poly(ADP–ribose) polymerase is found in both the nucleus and cytoplasm of human CNS neurons (834) 182

Dauphin, F., see Barbelivien, A. (834) 223
Day, T.A., see Buller, K.M. (834) 42
De Groat, W.C., see Birder, L.A. (834) 55
DeLorenzo, R.J., see Parsons, J.T. (834) 32
De Paolis, P., see Poli, A. (834) 142

Erickson, V.L., see Birder, L.A. (834) 55
Estrada, J., see Gutiérrez, H. (834) 136

Fallbrook, A., Turenne, S.D., Mamalias, N., Kish, S.J. and Ross, B.M.
Phosphatidylcholine and phosphatidylethanolamine metabolites may regulate brain phospholipid catabolism via inhibition of lysophospholipase activity (834) 207
Filippi, M.M., see Shimizu, T. (834) 74
Fournié-Zaluski, M.-C., see Le Guen, S. (834) 200
Fujiseki, Y., see Suzukawa, J. (834) 89
Fukuoka, J., see Amano, S. (834) 214

García-Fernández, J.M., see Huerta, J.J. (834) 122
Gatti, P.J., Llewellyn-Smith, I.J., Sun, Q.-J., Chalmers, J. and Pilowsky, P.
Substance P-immunoreactive boutons closely appose inspiratory protruder hypoglossal motoneurons in the cat (834) 155
Gauthier, J., Parent, M., Lévesque, M. and Parent, A.
The axonal arborization of single nigrostriatal neurons in rats (834) 228
Gerlach, M., see Blum-Degen, D. (834) 128
Giraudo, S.Q., Grace, M.K., Billington, C.J. and Levine, A.S.
Differential effects of neuropeptide Y and the μ-agonist DAMGO on 'palatability' vs. 'energy' (834) 160
Grace, M.K., see Giraudo, S.Q. (834) 160
Gruber, S.A., see Christensen, J.D. (834) 1
Guan, J.-L., see Wang, Q.-P. (834) 25
Gutiérrez, H., Gutiérrez, R., Silva-Gandarias, R., Estrada, J., Miranda, M.I. and Bermúdez-Rattoni, F.
Differential effects of 192IgG-saporin and NMDA-induced lesions into the basal forebrain on cholinergic activity and taste aversion memory formation (834) 136
Gutiérrez, R., see Gutiérrez, H. (834) 136

Haunsø, A., Celio, M.R., Margolis, R.K. and Menoud, P.-A.
Phosphacan immunoreactivity is associated with perineuronal nets around parvalbumin-expressing neurones (834) 219
Hayase, Y., see Amano, S. (834) 214
Hazama, F., see Amano, S. (834) 214
Heinemann, T., see Blum-Degen, D. (834) 128
Heizmann, C.W., see Suzukawa, J. (834) 89
Honoré, P., see Le Guen, S. (834) 200
Huerta, J.J., Llamosas, M.M., Cernuda-Cernuda, R. and García-Fernández, J.M.
Spatio-temporal analysis of light-induced Fos expression in the retina of rd mutant mice (834) 122

Iino, S. and Maekawa, S.
Immunohistochemical demonstration of a neuronal calmodulin-binding protein, NAP-22, in the rat spinal cord (834) 66
Ikeda, M., see Amano, S. (834) 214
Inagaki, C., see Suzukawa, J. (834) 89
Ince, P.G., see Cookson, M.R. (834) 182

Jakel, R.J., see Maragos, W.F. (834) 168
Jarrott, B., see Ashworth-Preece, M.A. (834) 186

Kassil, V.G., see Butkevich, I.P. (834) 13
Kawakita, K., see Okada, K. (834) 112
Kihira, K., see Kimura, Y. (834) 6
Kim, Y.J., see Wayne, N.L. (834) 211
Kimura, Y., Ohue, M., Kitaura, T. and Kihira, K.
Amnesic effects of the anticholinergic drugs, trihexyphenidyl and biperiden: differences in binding properties to the brain muscarinic receptor (834) 6
Kish, S.J., see Fallbrook, A. (834) 207
Kitagawa, H., Sasaki, C., Zhang, W.R., Sakai, K., Shiro, Y., Warita, H., Mitsumoto, Y., Mori, T. and Abe, K.
Induction of glial cell line-derived neurotrophic factor receptor proteins in cerebral cortex and striatum after permanent middle cerebral artery occlusion in rats (834) 190

Kitaura, T., see Kimura, Y. (834) 6
Kondo, Y., Nakanishi, T., Takigawa, M. and Ogawa, N.
Immunohistochemical localization of connective tissue growth factor in the rat central nervous system (834) 146
Kuhn, H.-J., see Malz, C.R. (834) 83
Kulkarni, S.K., see Raghavendra, V. (834) 178

Lan, J., see Blum-Degen, D. (834) 128
Lawrence, A.J., see Ashworth-Preece, M.A. (834) 186
Leblhuber, F., see Blum-Degen, D. (834) 128
Lee, W., see Wayne, N.L. (834) 211
Le Guen, S., Honoré, P., Catheline, G., Fournié-Zaluski, M.-C., Roques, B.-P. and Besson, J.-M.
The effects of RB101, a mixed inhibitor of enkephalin-catabolizing enzymes, on carrageenin-induced spinal c-Fos expression are completely blocked by β-funaltrexamine, a selective μ-opioid receptor antagonist (834) 200
Lévesque, M., see Gauthier, J. (834) 228
Levine, A.S., see Giraudo, S.Q. (834) 160
Llamosas, M.M., see Huerta, J.J. (834) 122
Llewellyn-Smith, I.J., see Gatti, P.J. (834) 155
Lucchi, R., see Poli, A. (834) 142
Lundeberg, T., see Wang, D. (834) 152

MacKenzie, E.T., see Barbelivien, A. (834) 223
Maekawa, S., see Iino, S. (834) 66
Malz, C.R. and Kuhn, H.-J.
FMRFamide immunoreactivity and the invasion of adenohypophyseal cells into the neural lobe in the developing pituitary of the tree shrew *Tupaia belangeri* (834) 83
Mamalias, N., see Fallbrook, A. (834) 207
Maragos, W.F., Tillman, P.A., Chesnut, M.D. and Jakel, R.J.
Clorgyline and deprenyl attenuate striatal malonate and 3-nitropropionic acid lesions (834) 168
Margolis, R.K., see Haunsø, A. (834) 219
McAllen, R.M., see Rathner, J.A. (834) 196
Menoud, P.-A., see Haunsø, A. (834) 219
Miranda, M.I., see Gutiérrez, H. (834) 136
Mitsumoto, Y., see Kitagawa, H. (834) 190
Mori, T., see Kitagawa, H. (834) 190
Murase, K., see Okada, K. (834) 112

Nakai, Y., see Wang, Q.-P. (834) 25
Nakanishi, T., see Kondo, Y. (834) 146
Nicoletti, F., see Poli, A. (834) 142
Noël, C., see Barbelivien, A. (834) 223
Notari, S., see Poli, A. (834) 142

Ochiai, H., see Wang, Q.-P. (834) 25
Ogawa, N., see Kondo, Y. (834) 146
Ohue, M., see Kimura, Y. (834) 6
Okada, K., Murase, K. and Kawakita, K.
Effects of electrical stimulation of thalamic nucleus submedius and periaqueductal gray on the visceral nociceptive responses of spinal dorsal horn neurons in the rat (834) 112
Okugawa, G., see Suzukawa, J. (834) 89
Oliveri, M., see Shimizu, T. (834) 74
Omori, K., see Suzukawa, J. (834) 89
O'Neill, M.F. and Sanger, G.J.
A single pretreatment with MK-801 or cocaine enhances their locomotor stimulant effects in rats (834) 103

Palmieri, M.G., see Shimizu, T. (834) 74
Parent, A., see Gauthier, J. (834) 228
Parent, M., see Gauthier, J. (834) 228
Parsons, J.T., Churn, S.B. and DeLorenzo, R.J.
Global ischemia-induced inhibition of the coupling ratio of calcium uptake and ATP hydrolysis by rat whole brain microsomal Mg^{2+}/Ca^{2+} ATPase (834) 32
Pasqualetti, P., see Shimizu, T. (834) 74
Paulus, W., see Blum-Degen, D. (834) 128
Pedersen, V., see Blum-Degen, D. (834) 128
Pilowsky, P., see Gatti, P.J. (834) 155
Poli, A., Lucchi, R., Storto, M., De Paolis, P., Notari, S., Nicoletti, F. and Casabona, G.
Predominant expression of group-II metabotropic glutamate receptors in the goldfish brain (834) 142

Raghavendra, V. and Kulkarni, S.K.
Reversal of morphine tolerance and dependence by melatonin: possible role of central and peripheral benzodiazepine receptors (834) 178
Rathner, J.A. and McAllen, R.M.
Differential control of sympathetic drive to the rat tail artery and kidney by medullary premotor cell groups (834) 196
Renshaw, P.F., see Christensen, J.D. (834) 1
Rezzani, R., see Rodella, L. (834) 173
Riederer, P., see Blum-Degen, D. (834) 128
Rodella, L., Rezzani, R., Agostini, C. and Bianchi, R.
Expression of NADPH-diaphorase and colocalization with Fos in the brain neurons of the rat following visceral noxious stimulation (834) 173
Roppolo, J.R., see Birder, L.A. (834) 55
Roques, B.-P., see Le Guen, S. (834) 200
Ross, B.M., see Fallbrook, A. (834) 207
Rossini, P.M., see Shimizu, T. (834) 74

Sakai, K., see Kitagawa, H. (834) 190
Sanger, G.J., see O'Neill, M.F. (834) 103
Sasahara, M., see Amano, S. (834) 214
Sasaki, C., see Kitagawa, H. (834) 190
Shaw, P.J., see Cookson, M.R. (834) 182
Shimizu, T., Oliveri, M., Filippi, M.M., Palmieri, M.G., Pasqualetti, P. and Rossini, P.M.
Effect of paired transcranial magnetic stimulation on the cortical silent period (834) 74
Shiro, Y., see Kitagawa, H. (834) 190
Silva-Gandarias, R., see Gutiérrez, H. (834) 136
Smith, D.W., see Buller, K.M. (834) 42
Storto, M., see Poli, A. (834) 142
Sun, Q.-J., see Gatti, P.J. (834) 155
Suzukawa, J., Omori, K., Okugawa, G., Fujiseki, Y., Heizmann, C.W. and Inagaki, C.
Long-lasting c-*fos* and NGF mRNA expressions and loss of perikaryal parvalbumin immunoreactivity in the development of epileptogenesis after ethacrynic acid-induced seizure (834) 89

Takigawa, M., see Kondo, Y. (834) 146
Thompson, T.L.
Attenuation of dopamine uptake in vivo following priming with estradiol benzoate (834) 164
Tillman, P.A., see Maragos, W.F. (834) 168
Tsuji, A., see Amano, S. (834) 214
Turenne, S.D., see Fallbrook, A. (834) 207

Uemura, S., see Amano, S. (834) 214
Usher, P.A., see Cookson, M.R. (834) 182

Wang, D., Ye, H.-H., Yu, L.-C. and Lundeberg, T.
Intra-periaqueductal grey injection of galanin increases the nociceptive response latency in rats, an effect reversed by naloxone (834) 152
Wang, Q.-P., Guan, J.-L., Ochiai, H. and Nakai, Y.
The neurotensinergic synaptic innervation of vasopressin containing neurons in the rat hypothalamic paraventricular nucleus (834) 25
Warita, H., see Kitagawa, H. (834) 190
Wayne, N.L., Lee, W. and Kim, Y.J.
Persistent activation of calcium-activated and calcium-independent protein kinase C in response to electrical afterdischarge from peptidergic neurons of *Aplysia* (834) 211

Ye, H.-H., see Wang, D. (834) 152
Yu, L.-C., see Wang, D. (834) 152
Yurgelun-Todd, D.A., see Christensen, J.D. (834) 1

Zhang, W.R., see Kitagawa, H. (834) 190